



4550 Post Oak Place, Suite 202
 Houston, Texas 77027
 Telephone: (713) 623-6900 * Fax: (713) 623-6905
 Web Site: www.qualitybit.com
 E-mail: quality@qualitybit.com

QUALITY BIT & SUPPLY CURRENT STOCK

QTY	PART NUMBER	DESCRIPTION
8	35005Y120	3-1/2" 250 TON MGG CL ELEV.
0	35005Y121	4" 250 TON MGG CL ELEV.
4	35005Y122	4-1/2" 250 TON MGG CL ELEV.
6	35005Y123	5" 250 TON MGG CL ELEV.
3	31068Y122	4-1/2" 350 TON GG CL ELEV.
9	31068Y123	5" 350 TON GG CL ELEV.
3	31068Y124	5-1/2" 350 TON GG CL ELEV.
0	70013Y123	5" 500 TON HGG CL ELEV.
0	70013Y124	5-1/2" 500 TON HGG CL ELEV.
0	70013Y740	6-5/8" 500 TON HGG CL ELEV.
0	200680Y116	2-3/8" 150 TON RGG CL DP ELEV.
1	200680Y118	2-7/8" 150 TON RGG CL DP ELEV.
1	200680Y120	3-1/2" 150 TON RGG CL DP ELEV.
1	30157Y116	2-3/8" 100 TON MG CL DP ELEV.
2	30157Y118	2-7/8" 100 TON MG CL DP ELEV.
1	73109	SSW-40 SPINNING WRENCH
25	50006310Y159	2-3/8" 100 TON TMA CL TUBING ELEV.
25	50006310Y161	2-7/8" 100 TON TMA CL TUBING ELEV.
2	50006310Y163	3-1/2" 100 TON TMA CL TUBING ELEV.
0	50006310Y165	4" 100 TON TMA CL TUBING ELEV.
0	50006310Y167	4-1/2" 100 TON TMA CL TUBING ELEV.
1	33854Y129	4-1/2" 100 TON SLX SIDE DOOR ELEV.
0	33854Y131	5" 100 TON SLX SIDE DOOR ELEV.
7	33854Y132	5-1/2" 100 TON SLX SIDE DOOR ELEV.
3	31239Y136	7" 150 TON SLX SIDE DOOR ELEV.
0	31239Y139	8-5/8" 150 TON SLX SIDE DOOR ELEV.(ACCESS)
1	33950Y141	9-5/8" 150 TON SLX SIDE DOOR ELEV.
0	33950Y142	10-3/4" 150 TON SLX SIDE DOOR ELEV.
6	33982Y144	13-3/8" 150 TON SLX SIDE DOOR ELEV.
4	33632Y146	18-5/8" 150 TON SLX SIDE DOOR ELEV.
2	33632Y147	20" 150 TON SLX SIDE DOOR ELEV.
1	E31239-132	5-1/2" 150 TON SIDE DOOR ELEV(ACCESS)
9	E31239-136	7" 150 TON SLX SIDE DOOR ELEV(ACCESS)
2	E31239-137	7-5/8" 150 TON SLX SIDE DOOR ELEV(ACCESS)
2	E31239-139	8-5/8" 150 TON SLX SIDE DOOR ELEV.(ACCESS)
23	E33950-141	9-5/8" 150 TON SLX SIDE DOOR ELEV(ACCESS)
1	E33950-142	10-3/4" 150 TON SLX SIDE DOOR ELEV(ACCESS)
13	E33982-144	13-3/8" 150 TON SLX SIDE DOOR ELEV(ACCESS)
2	70499Y158	2-3/8" SJL SINGLE JOINT ELEV. PLAIN TBG

QUALITY BIT & SUPPLY



4550 Post Oak Place, Suite 202

Houston, Texas 77027

Telephone: (713) 623-6900 * Fax: (713) 623-6905

Web Site: www.qualitybit.com

E-mail: quality@qualitybit.com

1	70499Y161	2-7/8" SJL SINGLE JOINT ELEV.
3	70499Y162	2-7/8" SJL SINGLE JOINT ELEV. PLAIN TBG.
2	70499Y163	3-1/2" SJL SINGLE JOINT ELEV.
2	70500Y129	4-1/2" SJL SINGLE JOINT ELEV.
1	70500Y131	5" SJL SINGLE JOINT ELEV.
2	70500Y132	5-1/2" SJL SINGLE JOINT ELEV.
4	70501Y136	7" SJL SINGLE JOINT ELEV.
2	70501Y137	7-5/8" SJL SINGLE JOINT ELEV.
2	70502Y141	9-5/8" SJL SINGLE JOINT ELEV.
2	70502Y142	10-3/4" SJL SINGE JOINT ELEV.
2	70503Y144	13-3/8" SJL SINGLE JOINT ELEV.
2	70504Y145	16" SJL SINGLE JOINT ELEV.
6	70504Y146	18-5/8" SJL SINGLE JOINT ELEV.
6	70504Y147	20" SJL SINGLE JOINT ELEV.
0	70505Y630	24" SJL SINGLE JOINT ELEV.
2	200009Y312	3-1/2" SPL SJ ELEV. FOR 18DEG. D.P.
0	200009Y500	5" SPL SJ ELEV. FOR 18DEG D.P.
5	E39210-131	5" SINGLE JOINT ELEV(ACCESS)
5	E39210-132	5-1/2" SINGLE JOINT ELEV(ACCESS)
4	E39040-136	7" SINGLE JOINT ELEV(ACCESS)
1	E39040-137	7-5/8" SINGLE JOINT ELEV(ACCESS)
3	E39041-141	9-5/8" SINGLE JOINT ELEV(ACCESS)
1	E39042-142	10-3/4" SINGLE JOINT ELEV(ACCESS)
7	E39042-144	13-3/8" SINGLE JOINT(ACCESS)
2	E39043-146	18-5/8" SINGLE JOINT ELEV(ACCESS)
1	E39043-147	20" SINGLE JOINT ELEV(ACCESS)
1	E29328	MYT 40 TON SLIP TYPE ELEV(ACCESS)
1	E29343-1	2-7/8" MYT SLIP ASSY(ACCESS)
1	29343-2	2-3/8" MYT SLIP ASSY(ACCESS)
2	55600Y	75 TON YT SLIP TYPE ELEV.
1	23108Y6	2-3/8" YT SLIP ASSY.
0	23108Y4	2-7/8" YT SLIP ASSY.
0	23108Y3	3-1/2"X2-7/8" YT SLIP ASSY.
2	23108Y5	3-1/2" YT SLIP ASSY.
21	24140Y	75 TON YC SLIP TYPE ELEV.
3	24072Y5	4-1/2" YC SLIP ASSY.
3	24072Y2	5-1/2" YC SLIP ASSY.
1	24077Y7	6-5/8" YC SLIP ASSY.
3	24077Y1	7" YC SLIP ASSY.
0	200360Y	MYC 125 TON SLIP TYPE ELEV.
5	BJ55310Y	HYC 200 TON SLIP TYPE ELEV.
3	55511Y	4-1/2" HYC SLIP ASSY.
3	55512Y	5" HYC SLIP ASSY.

QUALITY BIT & SUPPLY



4550 Post Oak Place, Suite 202

Houston, Texas 77027

Telephone: (713) 623-6900 * Fax: (713) 623-6905

Web Site: www.qualitybit.com

E-mail: quality@qualitybit.com

4 55513Y
 4 55515Y
 3 70009Y
 4 39284Y
 1 39258Y2
 1 39259Y2
 0 39259Y4
 2 SETS 16363Y1096
 2 SETS 16363Y1108
 2 SETS 16363Y1120
 1 SET 16363Y1132
 1 SET 26940Y1072
 4 SETS 26940Y1108
 2 SETS 26940Y1120
 3 SETS 26940Y1132
 3 SETS 26940Y1180
 2 SETS 26940Y1192
 1 SET 26940Y1216
 3 SETS 25469Y1120
 0 SETS 25469Y1144
 2 SETS 25469Y1180
 4 SETS 25469Y1192
 4 SETS 25469Y1216
 2 SETS 25469Y1264
 1 SET 25469Y1360
 0 37355-1072
 5 SETS 37355-1072
 1 SET 37355-1084
 3 SETS TC100-S-HD
 2 SETS TC600-FCR-2
 3 SETS 65622-100
 10 PCS 200071
 14 PCS 200540
 10 PCS 200560
 14 PCS 200620-2
 4 PCS 200640
 4 PCS T30117-2
 3 1810
 1 5315+50
 2 5301
 1 5303
 1 5305
 2 5307

5-1/2" HYC SLIP ASSY.
 7" HYC SLIP ASSY.
 7-5/8" HYC SLIP ASSY.
 150 TON HYT SLIP TYPE ELEV.
 3-1/2" HYT SLIP ASSY.
 2-7/8" HYT SLIP ASSY.
 2-3/8" HYT SLIP ASSY.
 2-1/4"X96" 250 TON LINKS
 2-1/4"X108" 250 TON LINKS
 2-1/4"X120" 250 TON LINKS
 2-1/4"X132" 250 TON LINKS
 2-3/4"X72" 350 TON LINKS
 2-3/4"X108" 350 TON LINKS
 2-3/4"X 120" 350 TON LINKS
 2-3/4"X132" 350 TON LINKS
 2-3/4"X180" 350 TON LINKS
 2-3/4"X192" 350 TON LINKS
 2-3/4"X216" 350 TON LINKS
 3-1/2"X120" 500 TON LINKS
 3-1/2"X144" 500 TON LINKS
 3-1/2"X180" 500 TON LINKS
 3-1/2"X192" 500 TON LINKS
 3-1/2"X216" 500 TON LINKS
 3-1/2"X264" 500 TON LINKS
 3-1/2"X360" 500 TON LINKS
 1-3/4"X72" 150 TON LINKS(CAVINS)
 1-3/4"X72" 150 TON LINKS(WEATHERFORD)
 1-3/4"X84" 150 TON LINKS(WEATHERFORD)
 C-HD SPIDER, HYDRAULIC(CAVINS)
 3-1/2" SLIP ASSY FOR C-HD SPIDER(CAVINS)
 3-1/2" SLIP ASSY FOR C-HD SPIDER(WEATHERFORD)
 HT-100 TONG
 HT- 65 TONG
 HT-55 TONG
 HT-35 TONG
 HT-14 TONG
 TYPE "C" TONG(Access)
 #3 INSERT BOWL FOR 27-1/2 MSPC
 6-5/8" CMS-XL
 7" CMS-XL
 7-5/8" CMS-XL
 8-5/8" CMS-XL
 9-5/8" CMS-XL CASING SLIP



4550 Post Oak Place, Suite 202
 Houston, Texas 77027
 Telephone: (713) 623-6900 * Fax: (713) 623-6905
 Web Site: www.qualitybit.com
 E-mail: quality@qualitybit.com

2	5313	13-3/8" CMS-XL CASING SLIP
0	5325	16" CMS-XL CASING SLIP
3	5333	18-5/8" CMS-XL CASING SLIP
2	5329	20" CMS-XL CASING SLIP
1	5331	24" CMS-XL CASING SLIP
1	5340	30" CP-S CONDUCTOR PIPE CASING SLIP
1	2572	3"-4" DCS-S DC SLIP
1	2573	4"-4-7/8" DCS-S DC SLIP
2	2552	4-1/2"-6" DCS-R DC SLIP
11	2550	5-1/2"-7" DCS-R DC SLIP
1	2501	5-1/2"-7" DCS-L DC SLIP
1	2503	6-3/4"-8-1/4" DCS-L DC SLIP
2	2507	8"-9-1/2" DCS-L DC SLIP
5	20-111-1	3-1/4"-4-3/4" TYPE A DC SLIP(Access)
5	20-113	5-1/2"-7" TYPE A DC SLIP(Access)
5	20-114	6-3/4"-8-1/4" TYPE A DC SLIP(Access)
1	3905	3-1/2" SDS ROTARY SLIP
3	15524	3-1/2"X2-3/8" SDML ROTARY SLIP
7	15523	3-1/2"X2-7/8" SDML ROTARY SLIP
7	15522	3-1/2"X3-1/2" SDML ROTARY SLIP
0	15563	4-1/2"X3-1/2" SDML ROTARY SLIP
1	15564	4-1/2"X4" SDML ROTARY SLIP
2	15565	4-1/2"X4-1/2" SDML ROTARY SLIP
4	15569+50	5"X5" SDML ROTARY SLIP
2	15573	5-1/2"X5-1/2" SDML ROTARY SLIP
8	V15515	4-1/2"X3-1/2" SDXL ROTARY SLIP
5	V15513	4-1/2"X4-1/2" SDXL ROTARY SLIP
1	15518	5"X4" SDXL ROTARY SLIP
5	V15516	5"X5" SDXL ROTARY SLIP
1	15521	5-1/2"X4-1/2" SDXL ROTARY SLIP
4	15520	5-1/2"X5" SDXL ROTARY SLIP
6	V15519	5-1/2"X5-1/2" SDXL ROTARY SLIP
2	86720	7"X6-5/8" SDXL ROTARY SLIP
3	86719	7" SDXL ROTARY SLIP
5	03-116	5-1/2" DU REGULAR ROTARY SLIP(Access)
3	03-114	4-1/2" DU REGULAR ROTARY SLIP(Access)
5	19-450	4-1/2" TYPE B ROTARY SLIP(Access)
5	33030+50	2-7/8"-4-1/2" MP-S SAFETY CLAMP
5	33031	4"-5" MP-S SAFETY CLAMP
5	33011+50	4-1/2-5-5/8" MP-R SAFETY CLAMP
3	33012	5-1/2"-7" MP-R SAFETY CLAMP
1	V33013	6-3/4"-8-1/4" MP-R SAFETY CLAMP
1	V33014	8"-9-1/4" MP-R SAFETY CLAMP

QUALITY BIT & SUPPLY



4550 Post Oak Place, Suite 202

Houston, Texas 77027

Telephone: (713) 623-6900 * Fax: (713) 623-6905

Web Site: www.qualitybit.com

E-mail: quality@qualitybit.com

3	33015+50	9-1/4"-10-1/2" MP-R SAFETY CLAMP
1	33016	10-1/2"-11-1/2" MP-M SAFETY CLAMP
2	33018+50	12-1/2"-13-5/8" MP-M SAFETY CLAMP
2	12-128	4-1/2"-5-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-129	5-1/2"-6-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-130	6-1/2"-7-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-131	7-1/2"-8-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-132	8-1/2"-9-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-133	9-1/2"-10-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-134	10-1/2"-11-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-135	11-1/2"-12-5/8" TYPE C SAFETY CLAMP(ACCESS)
2	12-136	12-1/2"-13-3/8" TYPE C SAFETY CLAMP(ACCESS)
6	150799+20	20"-3 AND 21"2 PACKING ELEMENT(SHAFFER)
2	150576+20	13-5/8" 5 NITRILE PK ELM(SHAFFER)
1	155070+20	13-5M SPARE PARTS KIT FOR SBOP
1	27726-100	.75-.87" SOLID BODY ROD ELEV(WEATHERFORD)
2	27727-100	1" SOLID BODY ROD ELEV(WEATHERFORD)
0	21982-100	R-35 TON ROD HOOK (WEATHERFORD)
4	31982	R-35 TON ROD HOOK (CAVINS)
92	30160614	ST-80 KNURLED ROLLERS
12	30174222	ST-80 UPPER DIE SET
48	30172029	ST-80 LOWER DIE SET
22	30173756	ST-80 ROLLER SHAFT
2	141621	RAM, 13-3/5M, 7", SL
2	142752	RAM, 18-10M & 18-5M SL BOP, 2-7/8"
2 SETS	SDD	REBUILT SDD TONG WITH ALL JAWS
2 SETS	B TONG	REBUILT B TONG WITH ALL JAWS
1 SET	EXTENDED B TONG	EXTENDED B TONG 13-3/8"-30"

WE ALSO HAVE ALL INSERTS,
CIRCULAR BUTTONS, TONG DIES
AS WELL AS LUG JAWS FOR JUST
ABOUT ANY SIZE TONG